

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	L60 and (cool\$3 air or cool\$3 fluid or heat\$3 air or heat\$3 fluid or flowing air or flowing fluid or air near blow\$3 or fluid near blow\$3)
Display:	<input type="text" value="10"/> Documents in <u>Display Format:</u> <input type="text" value=""/> Starting with Number <input type="text" value="1"/>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search

Clear

Interrupt

Search History

DATE: Friday, June 22, 2007
 [Purge Queries](#)
 [Printable Copy](#)
 [Create Case](#)

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
side by side			
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L61</u>	L60 and (cool\$3 air or cool\$3 fluid or heat\$3 air or heat\$3 fluid or flowing air or flowing fluid or air near blow\$3 or fluid near blow\$3)	56	<u>L61</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB; PLUR=YES; OP=ADJ</i>			
<u>L60</u>	L59 and (device under test or DUT or thermal\$2 near test\$3)	2267	<u>L60</u>
<u>L59</u>	(702/117,118,119;714/724,733,734,736;324/73.1,765)![CCLS]	13056	<u>L59</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L58</u>	6339338.pn. and (47) and (air or fluid or cool\$4)	0	<u>L58</u>
<u>L57</u>	6339338.pn. and (47)	1	<u>L57</u>
<u>L56</u>	6339338.pn.	1	<u>L56</u>
<u>L55</u>	5986447.pn.	1	<u>L55</u>
<u>L54</u>	5834946.pn. and (air or fluid)	1	<u>L54</u>
<u>L53</u>	5834946.pn.	1	<u>L53</u>
<u>L52</u>	7084659.pn. and (air or fluid or opening)	1	<u>L52</u>
<u>L51</u>	4517512.pn. and (90 or air or fluid or cool\$3)	1	<u>L51</u>
<u>L50</u>	4517512.pn.	1	<u>L50</u>

Searches for User *gverbitsky* (Count = 49450)

Queries 49401 through 49450.

Find	<input type="text"/>
Latest	Prev
Next	Oldest
Edit	Help
Cancel	

S #	Updt	Database	Query
<u>S49450</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((702/117,118,119;714/724,733,734,736 [CCLS] and (device under test or DUT o near test\$3)) and (cool\$3 air or cool\$3 f air or heat\$3 fluid or flowing air or flowi near blow\$3 or fluid near blow\$3)
<u>S49449</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB	((702/117,118,119;714/724,733,734,736 [CCLS]) and (device under test or DUT near test\$3)
<u>S49448</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB	(702/117,118,119;714/724,733,734,736; [CCLS]
<u>S49447</u>	<u>U</u>	USPT	6339338.pn. and (47) and (air or fluid or
<u>S49446</u>	<u>U</u>	USPT	6339338.pn. and (47)
<u>S49445</u>	<u>U</u>	USPT	6339338.pn.
<u>S49444</u>	<u>U</u>	USPT	5986447.pn.
<u>S49443</u>	<u>U</u>	USPT	5834946.pn. and (air or fluid)
<u>S49442</u>	<u>U</u>	USPT	5834946.pn.
<u>S49441</u>	<u>U</u>	USPT	7084659.pn. and (air or fluid or opening,
<u>S49440</u>	<u>U</u>	USPT	4517512.pn. and (90 or air or fluid or co

Searches for User *gverbitsky* (Count = 49450)

Queries 49201 through 49250.

Find	<input type="text"/>		
Latest	Prev	Next	Oldest
Edit	Help	Cancel	

S #	U	Updt	Database	Query
S49250	U		PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	circular sample mount\$3 or circular sam sample arrangement or circular sample p
S49249	U		PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(324/158.1 and (circular arrangement or circular position\$3 or central opening or circumferential mount\$3 or circumferent circumferential arrangement) and (heat\$ chips or samples or specimen)
S49248	U		PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(324/158.1 and (circular arrangement or circular position\$3 or central opening or circumferential mount\$3 or circumferent circumferential arrangement)) and (heat
S49247	U		PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(324/158.1) and (circular arrangement o circular position\$3 or central opening or circumferential mount\$3 or circumferent circumferential arrangement)
S49246	U		PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(324/158.1) and (circular arrangement o circular position\$3 or central opening or circumferential mount\$3 or circumferent circumferential arrangement)
S49245	U		PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(324/158.1) and (circular arrangement o circular position\$3 or central opening or circumferential mount\$3 or circumferent circumferential arrangement)
S49244	U		PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(324/158.1 and (test\$3) and (test\$3 near
S49243	U		PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(324/158.1 and (test\$3)) and (test\$3 nea
S49242	U		PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(324/158.1) and (test\$3)
S49241	U		PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	324/158.1